



## **1.0 PROJECT REPORT COVER PAGE**

### **LICENSEE INFORMATION:**

Contact Information:

Michael B. Henry CD BA FRAI FRSA  
Managing Partner  
Lakelands District Office  
380 Talbot Street, P.O. Box 29  
Port McNicoll, ON L0K 1R0  
Phone: (705) 534-1546 Fax: (705) 534-7855  
Email: mhenry@amick.ca  
www.amick.ca

Licensee:

Ontario Archaeology Licence:

Sarah MacKinnon MSc  
P1024

### **PROJECT INFORMATION:**

Corporate Project Number:

16097

MTCS Project Number:

P1024-0196-2016

Investigation Type:

Stage 1-2 Archaeological Assessment

Project Name:

Markdale Developments.

Project Location:

105 Margaret Elizabeth Avenue  
Lot 98, Range 1 E of Toronto and Sydenham Road  
(Geographic Township of Artemesia), Town of  
Markdale, Municipality of Grey Highlands,  
Grey County

### **APPROVAL AUTHORITY INFORMATION:**

File Designation Number:

Not Currently Available

### **REPORTING INFORMATION:**

Site Record/Update Forms:

N/A

Date of Report Filing:

December 22 2016

Type of Report:

**ORIGINAL**

## **2.0 EXECUTIVE SUMMARY**

This report describes the results of the 2016 Stage 1-2 Archaeological Assessment of 105 Margaret Elizabeth Avenue Lot 98, Range 1 E of Toronto and Sydenham Road (Geographic Township of Artemesia), Town of Markdale, Municipality of Grey Highlands, Grey County, conducted by AMICK Consultants Limited. This study was conducted under Professional Archaeologist License #P1024 issued to Sarah MacKinnon by the Minister of Tourism, Culture and Sport for the Province of Ontario. This assessment was undertaken as a requirement under the Planning Act (RSO 1990b) and the Provincial Policy Statement (2014) in order to support a Draft Plan of Subdivision application and companion Zoning By-law Amendment application as part of the pre-submission process. Within the land use planning and development context, Ontario Regulation 544/06 under the Planning Act (1990b) requires an evaluation of archaeological potential and, where applicable, an archaeological assessment report completed by an archaeologist licensed by the Ministry of Tourism, Culture and Sport (MTCS). Policy 2.6 of the Provincial Policy Statement (PPS 2014) addresses archaeological resources. All work was conducted in conformity with Ontario Ministry of Tourism and Culture (MTC) Standards and Guidelines for Consultant Archaeologists (MTC 2011), the Ontario Heritage Act (RSO 1990a).

AMICK Consultants Limited was engaged by the proponent to undertake a Stage 1-2 Archaeological Assessment of lands potentially affected by the proposed undertaking and was granted permission to carry out archaeological fieldwork. The entirety of the study area was subject to property inspection and photographic documentation concurrently with the Stage 2 Property Assessment on 3, 24 and 30 November 2016, consisting of high-intensity test pit survey at an interval of five (5) metres between individual test pits and high intensity pedestrian survey at an interval of two-and-a-half (2.5) metres between individual transects. All records, documentation, field notes, photographs and artifacts (as applicable) related to the conduct and findings of these investigations are held at the Lakelands District corporate offices of AMICK Consultants Limited until such time that they can be transferred to an agency or institution approved by the Ontario Ministry of Tourism, Culture and Sport (MTCS) on behalf of the government and citizens of Ontario.

As a result of the property Assessment of the study area, no archaeological resources were encountered. Consequently, the following recommendations are made:

- *No further archaeological assessment of the study area is warranted;*
- *The Provincial interest in archaeological resources with respect to the proposed undertaking has been addressed;*
- *The proposed undertaking is clear of any archaeological concern.*

### **3.0 TABLE OF CONTENTS**

<b>1.0</b>	<b>PROJECT REPORT COVER PAGE</b>	<b>1</b>
<b>2.0</b>	<b>EXECUTIVE SUMMARY</b>	<b>2</b>
<b>3.0</b>	<b>TABLE OF CONTENTS</b>	<b>3</b>
<b>4.0</b>	<b>PROJECT PERSONNEL</b>	<b>3</b>
<b>5.0</b>	<b>PROJECT BACKGROUND</b>	<b>4</b>
<b>6.0</b>	<b>FIELD WORK METHODS AND WEATHER CONDITIONS</b>	<b>16</b>
<b>7.0</b>	<b>RECORD OF FINDS</b>	<b>21</b>
<b>8.0</b>	<b>ANALYSIS AND CONCLUSIONS</b>	<b>22</b>
<b>9.0</b>	<b>RECOMMENDATIONS</b>	<b>29</b>
<b>10.0</b>	<b>ADVICE ON COMPLIANCE WITH LEGISLATION</b>	<b>32</b>
<b>11.0</b>	<b>BIBLIOGRAPHY AND SOURCES</b>	<b>33</b>
<b>12.0</b>	<b>MAPS</b>	<b>35</b>
<b>13.0</b>	<b>IMAGES</b>	<b>40</b>

### **4.0 PROJECT PERSONNEL**

#### **AMICK CONSULTANTS LIMITED PARTNERS**

Michael Henry (MTCS Professional Archaeologist Licence #P058)

Marilyn Cornies (MTCS Professional Archaeologist Licence #P038)

#### **AMICK CONSULTANTS LIMITED BUSINESS MANAGER**

Melissa Maclean BBA email [mmaclean@amick.ca](mailto:mmaclean@amick.ca)

#### **PROJECT COORDINATOR**

Melissa Maclean

#### **PROJECT CONSULTANT ARCHAEOLOGIST**

Sarah MacKinnon (MTCS Professional Archaeologist Licence #P1024)

#### **PROJECT FIELD DIRECTORS**

Kayleigh MacKinnon (MTCS Licence #P384)

Sarah MacKinnon (MTCS Professional Archaeologist Licence #P1024)

#### **PROJECT FIELD ASSISTANTS**

Dylan Morningstar

Megan Hadubuk

Sheeba Hasan

#### **PROJECT REPORT PREPARATION**

Dylan Morningstar

#### **PROJECT DRAUGHTING**

Dylan Morningstar

#### **PROJECT PHOTOGRAPHY**

Kayleigh MacKinnon (MTCS Professional Archaeologist Licence #P384)

Sarah MacKinnon (MTCS Professional Archaeologist Licence #P1024)

## **5.0 PROJECT BACKGROUND**

### **5.1 DEVELOPMENT CONTEXT**

This report describes the results of the 2016 Stage 1-2 Archaeological Assessment of 105 Margaret Elizabeth Avenue Lot 98, Range 1 E of Toronto and Sydenham Road (Geographic Township of Artemesia), Town of Markdale, Municipality of Grey Highlands, Grey County, conducted by AMICK Consultants Limited. This study was conducted under Professional Archaeologist License #P1024 issued to Sarah MacKinnon by the Minister of Tourism, Culture and Sport for the Province of Ontario. This assessment was undertaken as a requirement under the Planning Act (RSO 1990b) and the Provincial Policy Statement (2014) in order to support a Draft Plan of Subdivision application and companion Zoning By-law Amendment application as part of the pre-submission process. Within the land use planning and development context, Ontario Regulation 544/06 under the Planning Act (1990b) requires an evaluation of archaeological potential and, where applicable, an archaeological assessment report completed by an archaeologist licensed by the Ministry of Tourism, Culture and Sport (MTCS). Policy 2.6 of the Provincial Policy Statement (PPS 2014) addresses archaeological resources. All work was conducted in conformity with Ontario Ministry of Tourism and Culture (MTC) Standards and Guidelines for Consultant Archaeologists (MTC 2011), the Ontario Heritage Act (RSO 1990a).

AMICK Consultants Limited was engaged by the proponent to undertake a Stage 1-2 Archaeological Assessment of lands potentially affected by the proposed undertaking and was granted permission to carry out archaeological fieldwork. The entirety of the study area was subject to property inspection and photographic documentation concurrently with the Stage 2 Property Assessment on 3, 24 and 30 November 2016, consisting of high-intensity test pit survey at an interval of five (5) metres between individual test pits and high intensity pedestrian survey at an interval of two-and-a-half (2.5) metres between individual transects. All records, documentation, field notes, photographs and artifacts (as applicable) related to the conduct and findings of these investigations are held at the Lakelands District corporate offices of AMICK Consultants Limited until such time that they can be transferred to an agency or institution approved by the Ontario Ministry of Tourism, Culture and Sport (MTCS) on behalf of the government and citizens of Ontario.

A plan of the proposed development was not available at the time this report was written. As a result, a preliminary survey of the proposed development has been submitted together with this report to MTCS for review and reproduced within this report as Figure 3.

### **5.2 HISTORICAL CONTEXT**

As part of the present study, background research was conducted in order to determine the archaeological potential of the proposed project area.

*“A Stage 1 background study provides the consulting archaeologist and Ministry report reviewer with information about the known and potential cultural heritage resources within a particular study area, prior to the start of the field assessment.”* (OMCzCR 1993)

The evaluation of potential is further elaborated Section 1.3 of the Standards and Guidelines for Consultant Archaeologist (2011) prepared by the Ontario Ministry of Tourism and Culture:

*“ The Stage 1 background study (and, where undertaken, property inspection) leads to an evaluation of the property’s archaeological potential. If the evaluation indicates that there is archaeological potential anywhere on the property, the next step is a Stage 2 assessment.”* (MTC 2011: 17)

Features or characteristics that indicate archaeological potential when documented within the study area, or within close proximity to the study area (as applicable), include:

- “ - previously identified archaeological sites*
  - water sources (It is important to distinguish types of water and shoreline, and to distinguish natural from artificial water sources, as these features affect site locations and types to varying degrees.):*
    - primary water sources (lakes, rivers, streams, creeks)*
    - secondary water sources (intermittent streams and creeks, springs, marshes, swamps)*
    - features indicating past water sources (e.g., glacial lake shorelines indicated by the presence of raised sand or gravel beach ridges, relic river or stream channels indicated by clear dip or swale in the topography, shorelines of drained lakes or marshes, cobble beaches)*
    - accessible or inaccessible shoreline (e.g., high bluffs, swamp or marsh fields by the edge of a lake, sandbars stretching into marsh)*
  - elevated topography (e.g., eskers, drumlins, large knolls, plateaux)*
  - pockets of well-drained sandy soil, especially near areas of heavy soil or rocky ground*
  - distinctive land formations that might have been special or spiritual places, such as waterfalls, rock outcrops, caverns, mounds, and promontories and their bases. There may be physical indicators of their use, such as burials, structures, offerings, rock paintings or carvings.*
  - resource areas, including:*
    - food or medicinal plants (e.g., migratory routes, spawning areas, prairie)*
    - scarce raw materials (e.g., quartz, copper, ochre or outcrops of chert)*
    - early Euro-Canadian industry (e.g., fur trade, logging, prospecting, mining)*
  - areas of early Euro-Canadian settlement. These include places of early military or pioneer settlement (e.g., pioneer homesteads, isolated cabins, farmstead complexes), early wharf or dock complexes, pioneer churches and early cemeteries. There may be commemorative markers of their history, such as local, provincial, or federal monuments or heritage parks.*

- *Early historical transportation routes (e.g., trails, passes, roads, railways, portage routes)*
- *property listed on a municipal register or designated under the Ontario Heritage Act as a federal, provincial or municipal historic landmark or site*
- *property that local histories or informants have identified with possible archaeological sites, historical events, activities, or occupations”*

(MTC 2011: 17-18)

The evaluation of potential does not indicate that sites are present within areas affected by proposed development. Evaluation of potential considers the possibility for as yet undocumented sites to be found in areas that have not been subject to systematic archaeological investigation in the past. Potential for archaeological resources is used to determine if property assessment of a study area or portions of a study area is required.

*“Archaeological resources not previously documented may also be present in the affected area. If the alternative areas being considered, or the preferred alternative selected, exhibit either high or medium potential for the discovery of archaeological remains an archaeological assessment will be required.”*

(MCC & MOE 1992: 6-7)

*“The Stage 1 background study (and, where undertaken, property inspection) leads to an evaluation of the property’s archaeological potential. If the evaluation indicates that there is archaeological potential anywhere on the property, the next step is a Stage 2 assessment.”*

(MTC 2011: 17)

In addition, archaeological sites data is also used to determine if any archaeological resources had been formerly documented within or in close proximity to the study area and if these same resources might be subject to impacts from the proposed undertaking. This data was also collected in order to establish the relative significance of any resources that might be encountered during the conduct of the present study. For example, the relative rarity of a site can be used to assign an elevated level of significance to a site that is atypical for the immediate vicinity. The requisite archaeological sites data of previously registered archaeological sites was collected from the Programs and Services Branch, Culture Programs Unit, MTCS and the corporate research library of AMICK Consultants Limited. The Stage 1 Background Research methodology also includes a review of the most detailed available topographic maps, historical settlement maps, archaeological management plans (where applicable) and commemorative plaques or monuments. When previous archaeological research documents lands to be impacted by the proposed undertaking or archaeological sites within 50 metres of the study area, the reports documenting this earlier work are reviewed for pertinent information. AMICK Consultants Limited will often modify this basic methodology based on professional judgment to include additional research (such as, local historical works or documents and knowledgeable informants).



### **5.2.1 CURRENT CONDITIONS**

The present use of the study area is as a vacant former golf course. The study area is roughly 6.27 hectares in area. The study area includes within it mostly ploughable lands which are centrally located. Surrounding the ploughable area on the southeast, southwest, and northwest borders are areas of overgrown meadow. Mature growth trees are interspersed within the ploughable area near the northeast border, as well as a single tree in the southwest portion. A monitoring well is located along the southeast border of the study area. The study area is adjacent to the northeast of Margaret Elizabeth Avenue. The study area is bounded on the northeast by a golf course, on the southeast by existing residential developments, on the southwest by existing residential development and Margaret Elizabeth Avenue, and on the northwest by existing agricultural land and residential developments. A plan of the study area is included within this report as Figure 3. Current conditions encountered during the Stage 1-2 Property Assessment are illustrated in Figures 4 & 5.

### **5.2.2 GENERAL HISTORICAL OUTLINE**

The Huron, Petun and various Algonkian First Nations resided in this area for an extended period of time prior to any European visitors to the area. The County of Grey was first established in 1852. Before the county was organized, the British referred to the entire area as “The Queen’s Bush”. Until 1852 this area was known for its dangerous travelling conditions for Euro-Canadians. The first townships within Grey County were originally called “Alta” and “Zero” which were quickly renamed Collingwood and St. Vincent respectively. During the colonization of the County, a quickly established network of trails and roads, in an addition to several natural harbours, provided easy access for settlers. However, due to the great distances involved and dangerous traveling conditions, the early settlers of this area relied heavily on First Nations to advise on settlement area selection, crop planting, medicine and survival. From the start of colonization it was easy to use the numerous natural resources easily available in the area as a means to generate income. Typically fish, furs, minerals, and forestation were the initial main industries. By 1865 Grey County consisted of 16 Townships, 4 towns and 44 villages or post offices (Grey County 2010).

Grey Highlands is a municipality in the southeast corner of Grey County, Ontario, Canada that was formed on January 1, 2001, by the amalgamation of the village of Markdale and the townships of Artemesia, Euphrasia and Osprey, which included the unincorporated hamlets of Eugenia Ceylon, Maxwell, Singhampton, Priceville, Kimberley, and Feversham. Markdale was first settled in 1846 and originally called East Glenelg, after a nearby township. In 1864, it was renamed Cornabus after the Islay, Scotland hometown of then-postmaster Donald MacDuffie (1814–1892). In 1873, Mark Armstrong sold land to the Toronto, Grey and Bruce Railway on the condition that the station bear his name. Unlike nearby Flesherton, which had failed to prosper after the railway by-passed it, the new railway station brought new business to Markdale. It was incorporated as a village in 1888 (Wikipedia.org, 2016).

Figure 2 is a facsimile segment of the Township of Artemesia map reproduced from The Grey County Supplement (Belden H. & Co. 1881). Figure 2 illustrates the location of the study area and environs as of 1881. The study area is not shown to belong to anyone and no structures are shown to be within the study area. However, the study area is located approximately 500 metres from the intersection of Toronto Street and Main Street, which is the current and historic main intersection of Markdale.

It must be borne in mind that inclusion of names of property owners and depictions of structures within properties on these maps were sold by subscription. While information included within these maps may provide information about occupation of the property at a specific point in time, the absence of such information does not indicate that the property was not occupied.

### **5.2.3 SUMMARY OF HISTORICAL CONTEXT**

The brief overview of documentary evidence readily available indicates that the study area is situated within an area that was close to the historic transportation routes and in an area well populated during the nineteenth century and as such has potential for sites relating to early Euro-Canadian settlement in the region. Background research indicates the property has potential for significant archaeological resources of Native origins based on proximity to a natural source of potable water in the past.

## **5.3 ARCHAEOLOGICAL CONTEXT**

The Archaeological Sites Database administered by the Ministry of Tourism, Culture and Sport (MTCS) indicates that there are no (0) previously documented sites within 1 kilometre of the study area. However, it must be noted that this is based on the assumption of the accuracy of information compiled from numerous researchers using different methodologies over many years. AMICK Consultants Limited assumes no responsibility for the accuracy of site descriptions, interpretations such as cultural affiliation, or location information derived from the Archaeological Sites Database administered by MTCS. In addition, it must also be noted that a lack of formerly documented sites does not indicate that there are no sites present as the documentation of any archaeological site is contingent upon prior research having been conducted within the study area.

On the basis of information supplied by MTCS, no archaeological assessments have been conducted within 50 metres of the study area. AMICK Consultants Limited assumes no responsibility for the accuracy of previous assessments, interpretations such as cultural affiliation, or location information derived from the Archaeological Sites Database administered by MTCS. In addition, it must also be noted that the lack of formerly documented previous assessments does not indicate that no assessments have been conducted.



Data contained in previous archaeological reports in close proximity to the study area that is relevant to Stage 1 Background Study is defined within the Standards and Guidelines for Consultant Archaeologists in Section 7.5.8 Standard 4 as follows:

*“Provide descriptions of previous archaeological fieldwork carried out within the limits of, or immediately adjacent to the project area, as documented by all available reports that include archaeological fieldwork carried out on the lands to be impacted by this project, or where reports document archaeological sites immediately adjacent (i.e., within 50 m) to those lands.”*

(MTCS 2011: 126 Emphasis Added)

In accordance with data supplied by MTCS for the purposes of completing this study, there are no previous reports detailing, “archaeological fieldwork carried out on the lands to be impacted by this project”, nor do any previous reports document known archaeological sites within 50 metres of the study area.

The Standards and Guidelines for Consultant Archaeologists stipulates that the necessity to summarize the results of previous archaeological assessment reports, or to cite MTCS File Numbers in references to other archaeological reports, is reserved for reports that are directly relevant to the fieldwork and recommendations for the study area (S & Gs 7.5.7, Standard 2, MTC 2011: 125). This is further refined and elaborated upon in Section 7.5.8, Standards 4 & 5, MTC 2011:

*“4. Provide descriptions of previous archaeological fieldwork carried out within the limits of, or immediately adjacent to the project area, as documented by all available reports that include archaeological fieldwork carried out on the lands to be impacted by this project, or where reports document archaeological sites immediately adjacent (i.e., within 50m) to those lands.”*

*“5. If previous findings and recommendations are relevant to the current stage of work, provide the following:*

- a. *a brief summary of previous findings and recommendations*
- b. *documentation of any differences in the current work from the previously recommended work*
- c. *rationale for the differences from the previously recommended work”*

**(Emphasis Added)**

### **5.3.1 FIRST NATIONS REGISTERED SITES**

A summary of registered and/or known archaeological sites within a 1-kilometre radius of the study area was gathered from the Archaeological Sites Database, administered by MTCS. As a result it was determined that no (0) archaeological sites relating directly to First Nations habitation/activity had been formally registered within the immediate vicinity of the study area. However, the lack of formally documented archaeological sites does not mean that First Nations people did not use the area; it more likely reflects a lack of systematic

archaeological research in the immediate vicinity. Even in cases where one or more assessments may have been conducted in close proximity to a proposed landscape alteration, an extensive area of physical archaeological assessment coverage is required throughout the region to produce a representative sample of all potentially available archaeological data in order to provide any meaningful evidence to construct a pattern of land use and settlement in the past.

The distance to water criteria used to establish potential for archaeological sites suggests potential for First Nations occupation and land use in the area in the past. This consideration establishes archaeological potential within the study area.

Table 1 illustrates the chronological development of cultures within southern Ontario prior to the arrival of European cultures to the area at the beginning of the 17<sup>th</sup> century. This general cultural outline is based on archaeological data and represents a synthesis and summary of research over a long period of time. It is necessarily generalizing and is not necessarily representative of the point of view of all researchers or stakeholders. It is offered here as a rough guideline and outline to illustrate the relationships of broad cultural groups and time periods.

**TABLE 1      CULTURAL CHRONOLOGY FOR SOUTHERN ONTARIO**

<b>Years ago</b>	<b>Period</b>	<b>Southern Ontario</b>
250	Terminal Woodland	Ontario and St. Lawrence Iroquois Cultures
1000 2000	Initial Woodland	Princess Point, Saugeen, Point Peninsula, and Meadowood Cultures
3000 4000 5000 6000	Archaic	Laurentian Culture
7000 8000 9000 10000 11000	Palaeo-Indian	Plano and Clovis Cultures
		(Wright 1972)

### **5.3.2 EURO-CANADIAN REGISTERED SITES**

A summary of registered and/or known archaeological sites within a 1-kilometre radius of the study area was gathered from the Archaeological Sites Database, administered by MTCS. As a result it was determined that no (0) archaeological sites relating directly to Euro-Canadian habitation/activity had been formally registered within the immediate vicinity of the study area.

### **5.3.3 LOCATION AND CURRENT CONDITIONS**

The study area is described as 105 Margaret Elizabeth Avenue Lot 98, Range 1 E of Toronto and Sydenham Road (Geographic Township of Artemesia), Town of Markdale, Municipality of Grey Highlands, Grey County. This assessment was undertaken as a requirement under the Planning Act (RSO 1990b) in order to support a Draft Plan of Subdivision application and companion Zoning By-law Amendment application as part of the pre-submission process.

The present use of the study area is as a vacant former golf course. The study area is roughly 6.27 hectares in area. The study area includes within it mostly ploughable lands which are centrally located. Surrounding the ploughable area on the southeast, southwest, and northwest borders are areas of overgrown meadow. Mature growth trees are interspersed within the ploughable area near the northeast border, as well as a single tree in the southwest portion. A monitoring well is located along the southeast border of the study area. The study area is bounded on the northeast by a golf course, on the southeast by existing residential developments, on the southwest by existing residential development and Margaret Elizabeth Avenue, and on the northwest by existing agricultural land and residential developments. The study area is adjacent to the northeast of Margaret Elizabeth Avenue. A plan of the study area is included within this report as Figure 3. Current conditions encountered during the Stage 1-2 Property Assessment are illustrated in Figures 4 & 5.

#### **5.3.4 PHYSIOGRAPHIC REGION**

The study area is situated within the Horseshoe Moraines physiographic region. The surface is composed of two chief landform components (a) the irregular stony knobs and ridges which are composed mostly of till with some sand and gravel deposits (kames) and (b) the more or less pitted sand and gravel terraces and swampy valley floors. Huron clay is the most representative soil type. The average depth is 18-20 inches and it is generally susceptible to erosion. The general elevation is from 800 to 1700 feet a.s.l. (Chapman and Putnam 1984: 127-129).

#### **5.3.5 SURFACE WATER**

Sources of potable water, access to waterborne transportation routes, and resources associated with watersheds are each considered, both individually and collectively to be the highest criteria for determination of the potential of any location to support extended human activity, land use, or occupation. Accordingly, proximity to water is regarded as the primary indicator of archaeological site potential. The Standards and Guidelines for Consultant Archaeologists stipulates that undisturbed lands within 300 metres of a water source are considered to have archaeological potential (MTC 2011: 21).

The study area contains no sources of potable water, accesses to waterborne transportation routes, or resources associated with watersheds.

#### **5.3.6 CURRENT PROPERTY CONDITIONS CONTEXT**

Current characteristics encountered within an archaeological research study area determine if property Assessment of specific portions of the study area will be necessary and in what manner a Stage 2 Property Assessment should be conducted, if necessary. Conventional assessment methodologies include pedestrian survey on ploughable lands and test pit methodology within areas that cannot be ploughed. For the purpose of determining where property Assessment is necessary and feasible, general categories of current landscape conditions have been established as archaeological conventions. These include:

#### **5.3.6.1 BUILDINGS AND STRUCTURAL FOOTPRINTS**

A building, in archaeological terms, is a structure that exists currently or has existed in the past in a given location. The footprint of a building is the area of the building formed by the perimeter of the foundation. Although the interior area of building foundations would often be subject to property Assessment when the foundation may represent a potentially significant historic archaeological site, the footprints of existing structures are not typically assessed. Existing structures commonly encountered during archaeological assessments are often residential-associated buildings (houses, garages, sheds), and/or component buildings of farm complexes (barns, silos, greenhouses). In many cases, even though the disturbance to the land may be relatively shallow and archaeological resources may be situated below the disturbed layer (e.g. a concrete garage pad), there is no practical means of assessing the area beneath the disturbed layer. However, if there were evidence to suggest that there are likely archaeological resources situated beneath the disturbance, alternative methodologies may be recommended to study such areas.

The study area contains no buildings or structural footprints.

#### **5.3.6.2 DISTURBANCE**

Areas that have been subjected to extensive and deep land alteration that has severely damaged the integrity of archaeological resources are known as land disturbances. Examples of land disturbances are areas of “past quarrying, major landscaping, recent built and industrial uses, sewage and infrastructure development, etc.” (MCL 2005: 15), as well as driveways made of gravel or asphalt or concrete, in-ground pools, and wells or cisterns. Surfaces paved with interlocking brick, concrete, asphalt, gravel and other surfaces meant to support heavy loads or to be long wearing hard surfaces in high traffic areas, must be prepared by the excavation and removal of topsoil, grading, and the addition of aggregate material to ensure appropriate engineering values for the supporting matrix and also to ensure that the installations shed water to avoid flooding or moisture damage. All hard surfaced areas are prepared in this fashion and therefore have no or low archaeological potential. Major utility lines are conduits that provide services such as water, natural gas, hydro, communications, sewage, and others. These major installations should not be confused with minor below ground service installations not considered to represent significant disturbances removing archaeological potential, such as services leading to individual structures which tend to be comparatively very shallow and vary narrow corridors. Areas containing substantial and deeply buried services or clusters of below ground utilities are considered

areas of disturbance, and may be excluded from Stage 2 Property Assessment. Disturbed areas are excluded from Stage 2 Property Assessment due to no or low archaeological potential and often because they are also not viable to assess using conventional methodology.

*“Earthwork is one of the major works involved in road construction. This process includes excavation, material removal, filling, compaction, and construction. Moisture content is controlled, and compaction is done according to standard design procedures. Normally, rock explosion at the road bed is not encouraged. While filling a depression to reach the road level, **the original bed is flattened after the removal of the topsoil.** The fill layer is distributed and compacted to the designed specifications. This procedure is repeated until the compaction desired is reached. **The fill material should not contain organic elements,** and possess a low index of plasticity. Fill material can include gravel and decomposed rocks of a particular size, but should not consist of huge clay lumps. Sand clay can be used. The area is considered to be adequately compacted when the roller movement does not create a noticeable deformation. **The road surface finish is reliant on the economic aspects, and the estimated usage.**” [Emphasis Added]*

(Goel 2013)

The supporting matrix of a hard paved surface cannot contain organic material which is subject to significant compression, decay and moisture retention. Topsoil has no engineering value and must be removed in any construction application where the surface finish at grade requires underlying support.

Installation of sewer lines and other below ground services associated with infrastructure development often involves deep excavation that can remove archaeological potential. This consideration does not apply to relatively minor below ground services that connect structures and facilities to services that support their operation and use. Major servicing corridors will be situated within adjacent road allowances with only minor, narrow and relatively shallow underground services entering into the study area to connect existing structures to servicing mainlines. The relatively minor, narrow and shallow services buried within a residential property do not require such extensive ground disturbance to remove or minimize archaeological potential within affected areas.

The study area does not contain previous disturbances.

### **5.3.6.3 LOW-LYING AND WET AREAS**

Landscape features that are covered by permanently wet areas, such as marshes, swamps, or bodies of water like streams or lakes, are known as low-lying and wet areas. Low-lying and wet areas are excluded from Stage 2 Property Assessment due to inaccessibility.

The study area does not contain low-lying and wet areas.

#### **5.3.6.4 STEEP SLOPE**

Landscape which slopes at a greater than (>) 20 degree change in elevation, is known as steep slope. Areas of steep slope are considered uninhabitable, and are excluded from Stage 2 Property Assessment.

Although some portions of the study area that were subject to test pit survey may qualify as steep slope under the Standards and Guideline for Consultant Archaeologists (MTC 2011), AMICK Consultants Limited corporate policy is that slopes are to be test pit surveyed on any occasion where it is safe to do so. This exceeds the requirements of the Standards and Guidelines and offers greater surety of total coverage of viable assessment areas. Slopes are not assessed because steep slopes are interpreted to have low potential, not due to viability to assess, except in cases where the slope is severe enough to become a safety concern for archaeological field crews. In such cases, the Occupational Health and Safety Act takes precedence as indicated in the introduction to the Standards and Guidelines. Assessment of slopes, except where safety concerns arise, eliminates the invariably subjective interpretation of what might constitute a steep slope in the field. This is done to minimize delays due to conflicts in such interpretations and to increase the efficiency of review.

The study area does not contain areas of steep slope.

#### **5.3.6.5 WOODED AREAS**

Areas of the property that cannot be ploughed, such as natural forest or woodlot, are known as wooded areas. These wooded areas qualify for Stage 2 Property Assessment, and are required to be assessed using test pit survey methodology.

The study area does not contain any wooded areas. However, small pockets of mature growth tree were located in the ploughed field near the northeast border of the study area, as well as one pocket in the southwest corner of the ploughed field.

#### **5.3.6.6 PLOUGHABLE AGRICULTURAL LANDS**

Areas of current or former agricultural lands that have been ploughed in the past are considered ploughable agricultural lands. Ploughing these lands regularly turns the soil, which in turn brings previously buried artifacts to the surface, which are then easily identified during visual inspection. Furthermore, by allowing the ploughed area to weather sufficiently through rainfall, soil is washed off of exposed artifacts at the surface and the visibility of artifacts at the surface of recently worked field areas is enhanced markedly. Pedestrian survey of ploughed agricultural lands is the preferred method of physical assessment because of the greater potential for finding evidence of archaeological resources if present.

The study area contains centrally located, ploughable lands that comprise approximately 75% of the property. The field was worked and allowed to weather for the purposes of the



completion of the Stage 2 Property Assessment. The soil of the study area is a well draining sandy loam base with gravel admixture, which enhances the permeability of the soil. Disking was not necessary to achieve well weathered surface conditions and given the state of vegetation when ploughed, the farmer and the Partners of AMICK Consultants Limited agreed that continued mechanical breakdown of the furrows would have resulted in more adverse conditions to observe artifacts on the surface as the light textured soils would have washed through the ploughed under vegetation leaving root mass and vegetation at the surface. In the professional judgment of the licensed field director, pedestrian transects were intensified to an interval of 2.5m between individual transects to increase the intensity of observation given the rough furrows of the ploughing and the presence of tufting of vegetation in some portions of the field area. There is no requirement to conduct intensified survey under the described field conditions and therefore the survey was completed at a level of intensity above and beyond the requirements articulated in the Standards and Guidelines for Consultant Archaeologists (MTC 2011). Surface visibility of the ploughed surface was well beyond the minimum 80%. Roughly 90% of the field surface was unobstructed and visible.

#### **5.3.6.7 LAWN, PASTURE, MEADOW**

Landscape features consisting of former agricultural land covered in low growth, such as lawns, pastures, meadows, shrubbery, and immature trees. These are areas that may be considered too small to warrant ploughing, (i.e. less than one hectare in area), such as yard areas surrounding existing structures, and land-locked open areas that are technically workable by a plough but inaccessible to agricultural machinery. These areas may also include open area within urban contexts that do not allow agricultural tillage within municipal or city limits or the use of urban roadways by agricultural machinery. These areas are required to be assessed using test pit survey methodology.

The study area contains areas of lawn and meadow. The area of landscape lawn is located along the southeast and southwest borders of the property along the boundaries of the residential developments, and the meadow comprises of the remaining areas bordering the ploughed field on the southeast, southwest, and northwest.

#### **5.3.7 SUMMARY**

Background research indicates the vicinity of the study area has potential for archaeological resources of Native origins based on proximity to a source of potable water in the past. Background research also suggests potential for archaeological resources of Euro-Canadian origins based on proximity to a documented historic settlement known as Markdale.

A significant proportion of the study area does exhibit archaeological potential and therefore a Stage 2 Property Assessment is required.

Archaeological potential does not indicate that there are necessarily sites present, but that environmental and historical factors suggest that there may be as yet undocumented

archaeological sites within lands that have not been subject to systematic archaeological research in the past.

## **6.0 FIELD WORK METHODS AND WEATHER CONDITIONS**

This report confirms that the study area was subject to Stage 2 Property Assessment by test pit methodology on and that the fieldwork was conducted according to the archaeological fieldwork standards and guidelines, including weather and lighting conditions. Weather conditions were appropriate for the necessary fieldwork required to complete the Stage 2 Property Assessment and to create the documentation appropriate to this study. The locations from which photographs were taken and the directions toward which the camera was aimed for each photograph are illustrated in Figures 4 & 5 of this report. Upon completion of the property inspection of the study area, it was determined that select areas would require Stage 2 archaeological assessment consisting of test pit survey methodology or pedestrian survey methodology in accordance with the standards for the use of each method.

Although some of the Stage 2 Property Assessment was completed under a light snow covering, the property was fully inspected when free of snow and the snow was not sufficient to obscure areas identified for assessment. Snow was present only for a portion of the Stage 2 Test Pit survey and afforded no impediment to the conduct of this type of work. The soil was free of frost and more than sufficiently dry to pass through 6 mm wire mesh.

### **6.1 PROPERTY INSPECTION**

A detailed examination and photo documentation was carried out on the study area in order to document the existing conditions of the study area to facilitate the Stage 2 Property Assessment. All areas of the study area were visually inspected and photographed. This component of the study was completed concurrently with the Stage 2 Property Assessment. The locations from which photographs were taken and the directions toward which the camera was aimed for each photograph are illustrated in Figures 4 & 5 of this report.

### **6.2 PEDESTRIAN SURVEY**

In accordance with the Standards and Guidelines for Consultant Archaeologists, pedestrian survey is required for all portions of the study area that are ploughable or can be subject to cultivation. This is the preferred method to utilize while conducting an assessment. This report confirms that the conduct of pedestrian survey within the study area conformed to the following standards:

- 1. Actively or recently cultivated agricultural land must be subject to pedestrian survey.*  
[All actively or recently cultivated agricultural land was subject to pedestrian survey]

2. *Land to be surveyed must be recently ploughed. Use of chisel ploughs is not acceptable. In heavy clay soils ensure furrows are disked after ploughing to break them up further.*  
[All land was recently ploughed. The soil of the study area is a well draining sandy loam base with gravel admixture, which enhances the permeability of the soil. Disking was not necessary to achieve well weathered surface conditions and given the state of vegetation when ploughed, the farmer and the Partners of AMICK Consultants Limited agreed that continued mechanical breakdown of the furrows would have resulted in more adverse conditions to observe artifacts on the surface as the light textured soils would have washed through the ploughed under vegetation leaving root mass and vegetation at the surface.]
3. *Land to be surveyed must be weathered by one heavy rainfall or several light rains to improve visibility of archaeological resources.*  
[All land was well weathered by repeated rainfalls.]
4. *Provide direction to the contractor undertaking the ploughing to plough deep enough to provide total topsoil exposure, but not deeper than previous ploughing.*  
[Direction was given to the contractor undertaking the ploughing to plough deep enough to provide total topsoil exposure, but not deeper than previous ploughing]
5. *At least 80 % of the ploughed ground surface must be visible. If surface visibility is below 80% (e.g. due to crop stubble, weeds, young crop growth), ensure the land is re-ploughed before surveying.*  
[Roughly 90% of the ploughed field surface was exposed and visible.]
6. *Space survey transects at maximum intervals of 5m (20 survey transects per hectare)*  
[In the professional judgment of the licensed field director, pedestrian transects were intensified to an interval of 2.5m between individual transects to increase the intensity of observation given the rough furrows of the ploughing and the presence of tufting of vegetation in some portions of the field area. There is no requirement to conduct intensified survey under the described field conditions and therefore the survey was completed at a level of intensity above and beyond the requirements articulated in the Standards and Guidelines for Consultant Archaeologists (MTC 2011). Surface visibility of the ploughed surface was well beyond the minimum 80%. Roughly 90% of the field surface was unobstructed and visible.]
7. *When archaeological resources are found, decrease survey transects to 1m intervals over a minimum of a 20m radius around the find to determine whether it is an isolated find or part of a larger scatter. Continue working outward at this interval until full extent of the surface scatter has been defined.*  
[Not Applicable – No archaeological resources were encountered]

8. *Collect all formal artifact types and diagnostic categories. For 19<sup>th</sup> century archaeological sites, collect all refined ceramic sherds (or, for larger sites collect a sufficient sample to form the basis for dating).*

[Not Applicable – No archaeological resources were encountered]

9. *Based on professional judgment, strike a balance between gathering enough artifacts to document the archaeological site and leaving enough in place to relocate the site if it is necessary to conduct further assessment.*

[Not Applicable – No archaeological resources were encountered]

(MTC 2011: 30-31)

The Guidelines contained within Section 2.1.1 of the Standards and Guidelines for Consultant Archaeologists (MTC 2011: 30) allow some variation in the conduct of pedestrian survey depending upon conditions, as follows:

1. *For orchards, vineyards or comparable situations where the open space to be ploughed between plants measures more than 5 m, strip-ploughing is an acceptable alternative to full ploughing.*

[Not Applicable – The study area does not contain an existing orchard or vineyard.]

2. *When appropriate based on crop conditions, (e.g. corn fields where herbicides have prevented weed growth, young winter wheat without weed growth between the rows), survey transects at intervals of less than 5 m may be used to achieve the minimum 80% visibility.*

[Not Applicable – The study area does not exhibit poor conditions related to crop growth or debris].

(MTC 2011: 30)

### **6.3 TEST PIT SURVEY**

In accordance with the Standards and Guidelines for Consultant Archaeologists, test pit survey is required to be undertaken for those portions of the study area where deep prior disturbance had not occurred prior to assessment or which were accessible to survey. Test pit survey is only used in areas that cannot be subject to ploughing or cultivation. This report confirms that the conduct of test pit survey within the study area conformed to the following standards:

1. *Test pit survey only on terrain where ploughing is not possible or viable, as in the following examples:*

*a. wooded areas*

[Not Applicable – The study area does not contain any wooded areas]

*b. pasture with high rock content*

[Not Applicable - The study area does not contain any pastures with high rock content]

*c. abandoned farmland with heavy brush and weed growth*

[Not Applicable - The study area does not contain any abandoned farmland with heavy brush and weed growth]

*d. orchards and vineyards that cannot be strip ploughed (planted in rows 5 m apart or less), gardens, parkland or lawns, any of which will remain in use for several years after the survey*

[Not Applicable - The study area does not contain any of the above-mentioned circumstances]

*e. properties where existing landscaping or infrastructure would be damaged. The presence of such obstacles must be documented in sufficient detail to demonstrate that ploughing or cultivation is not viable.*

[Not Applicable - The study area does not contain the above-mentioned circumstances]

*f. narrow (10 m or less) linear survey corridors (e.g., water or gas pipelines, road widening). This includes situations where there are planned impacts 10 m or less beyond the previously impacted limits on both sides of an existing linear corridor (e.g., two linear survey corridors on either side of an existing roadway). Where at the time of fieldwork the lands within the linear corridor meet the standards as stated under the above section on pedestrian survey land preparation, pedestrian survey must be carried out. Space test pits at maximum intervals of 5 m (400 test pits per hectare) in areas less than 300 m from any feature of archaeological potential.*

[Not Applicable – The study area does not contain any linear corridors]

2. *Space test pits at maximum intervals of 5 m (400 test pits per hectare) in areas less than 300 m from any feature of archaeological potential.*

[All test pits were spaced at an interval of 5m between individual test pits]

3. *Space test pits at maximum intervals of 10 m (100 test pits per hectare) in areas more than 300 m from any feature of archaeological potential.*

[The entirety of the test pitted areas of the study area were assessed using high intensity test pit methodology at an interval of 5 metres between individual test pits]

4. *Test pit to within 1 m of built structures (both intact and ruins), or until test pits show evidence of recent ground disturbance.*

[Not Applicable]

5. *Ensure that test pits are at least 30 cm in diameter.*

[All test pits were at least 30 cm in diameter]

6. *Excavate each test pit, by hand, into the first 5 cm of subsoil and examine the pit for stratigraphy, cultural features, or evidence of fill.*  
[All test pits were excavated by hand into the first 5 cm of subsoil and examined for stratigraphy, cultural features, or evidence of fill]
7. *Screen soil through mesh no greater than 6 mm.*  
[All soil was screened through mesh no greater than 6 mm]
8. *Collect all artifacts according to their associated test pit.*  
[Not Applicable - No archaeological resources were encountered]
9. *Backfill all test pits unless instructed not to by the landowner.*  
[All test pits were backfilled]

(MTC 2011: 31-32)

*“A combination of property inspection and test pitting may be used when initial Stage 2 results determine that all or part of the project area may in fact be disturbed. The Stage 2 survey may then consists of a detailed inspection (equivalent to Stage 1), combined with test pitting.”*

1. *If it was not done as part of Stage 1, inspect and document the disturbed areas according to the standards described for Stage 1 property inspections.*  
[The disturbed areas of the study area were inspected and documented as per the standards described for Stage 1 property inspections. Apparent areas of disturbance where Stage 2 Property Assessment survey was not viable were mapped and documented photographically but excluded from the Stage 2 survey. Surfaces paved with interlocking brick, concrete, asphalt, gravel and other surfaces meant to support heavy loads or to be long wearing hard surfaces in high traffic areas, must be prepared by the excavation and removal of topsoil, grading, and the addition of aggregate material to ensure appropriate engineering values for the supporting matrix and also to ensure that the installations shed water to avoid flooding or moisture damage. All hard surfaced areas are prepared in this fashion and therefore have no or low archaeological potential. Major utility lines are conduits that provide services such as water, natural gas, hydro, communications, sewage, and others. These major installations should not be confused with minor below ground service installations not considered to represent significant disturbances removing archaeological potential, such as services leading to individual structures which tend to be comparatively very shallow and vary narrow corridors. Areas containing substantial and deeply buried services or clusters of below ground utilities are considered areas of disturbance, and may be excluded from Stage 2 Property Assessment. Disturbed areas are excluded from Stage 2 Property Assessment due to no or low archaeological potential and often because they are also not viable to assess using conventional methodology. Areas where soil has been removed were examined using pedestrian survey methodology.]



2. *Place Stage 2 test pits throughout the disturbed areas according to professional judgment (and where physically viable) as to confirm that these areas have been completely disturbed.*

[No areas of probable disturbance were identified during the property inspection conducted concurrently with the Stage 2 Property Assessment.]

(MTC 2011: 38)

Approximately 75% of the study area consisted of ploughed field that was pedestrian surveyed at an interval of 2.5 metres between individual transects. Approximately 18% of the study area was unploughable meadow that was test pit surveyed at an interval of 5 metres between individual test pits. Approximately 5% of the study area was landscaped lawn that was test pit surveyed at an interval of 5 metres between individual test pits. Approximately 2% of the study area was meadow encompassing mature growth trees that was test pit surveyed at an interval of 5 metres between individual test pits.

## **7.0 RECORD OF FINDS**

Section 7.8.2 of the Standards and Guidelines for Consultant Archaeologists (MTC 2011: 137-138) outlines the requirements of the Record of Finds component of a Stage 2 report:

1. *For all archaeological resources and sites that are identified in Stage 2, provide the following:*
  - a. *a general description of the types of artifacts and features that were identified*
  - b. *a general description of the area within which artifacts and features were identified, including the spatial extent of the area and any relative variations in density*
  - c. *a catalogue and description of all artifacts retained*
  - d. *a description of the artifacts and features left in the field (nature of material, frequency, other notable traits).*
2. *Provide an inventory of the documentary record generated in the field (e.g. photographs, maps, field notes).*
3. *Submit information detailing exact site locations on the property separately from the project report, as specified in section 7.6. Information on exact site locations includes the following:*
  - a. *table of GPS readings for locations of all archaeological sites*
  - b. *maps showing detailed site location information.*

## **7.1 ARCHAEOLOGICAL RESOURCES**

No archaeological resources of any description were encountered anywhere within the study area.

## **7.2 ARCHAEOLOGICAL FIELDWORK DOCUMENTATION**

The documentation produced during the field investigation conducted in support of this report includes: three sketch maps, three pages of photo log, four pages of field notes, and 45 digital photographs.

## **8.0 ANALYSIS AND CONCLUSIONS**

AMICK Consultants Limited was engaged by the proponent to undertake a Stage 1-2 Archaeological Assessment of lands potentially affected by the proposed undertaking and was granted permission to carry out archaeological fieldwork. The entirety of the study area was subject to property inspection and photographic documentation concurrently with the Stage 2 Property Assessment on 3, 24 and 30 November 2016, consisting of high-intensity test pit survey at an interval of five metres (5) between individual test pits and high intensity pedestrian survey at an interval of two-and-a-half (2.5) metres between individual transects. All records, documentation, field notes, photographs and artifacts (as applicable) related to the conduct and findings of these investigations are held at the Lakelands District corporate offices of AMICK Consultants Limited until such time that they can be transferred to an agency or institution approved by the Ontario Ministry of Tourism, Culture and Sport (MTCS) on behalf of the government and citizens of Ontario.

Section 7.7.3 of the Standards and Guidelines for Consultant Archaeologists (MTC 2011: 132) outlines the requirements of the Analysis and Conclusions component of a Stage 1 Background Study.

- 1) *“Identify and describe areas of archaeological potential within the project area.*
- 2) *Identify and describe areas that have been subject to extensive and deep land alterations. Describe the nature of alterations (e.g., development or other activity) that have severely damaged the integrity of archaeological resources and have removed archaeological potential.”*

## **8.1 CHARACTERISTICS INDICATING ARCHAEOLOGICAL POTENTIAL**

Section 1.3.1 of the Standards and Guidelines for Consultant Archaeologists specifies the property characteristics that indicate archaeological potential (MTC 2011: 17-18). Factors that indicate archaeological potential are features of the local landscape and environment that may have attracted people to either occupy the land or to conduct activities within the study area. One or more of these characteristics found to apply to a study area would necessitate a Stage 2 Property Assessment to determine if archaeological resources are present. These characteristics are listed below together with considerations derived from the conduct of this study.

- 1) *Previously Identified Archaeological Sites*

Previously registered archaeological sites have not been documented within 300 metres of the study area.

2) Water Sources

Primary water sources are described as including lakes, rivers streams and creeks. Close proximity to primary water sources (300 metres) indicates that people had access to readily available sources of potable water and routes of waterborne trade and communication should the study area have been used or occupied in the past.

There are no identified primary water sources within 300 metres of the study area.

Secondary water sources are described as including intermittent streams and creeks, springs, marshes, and swamps. Close proximity (300 metres) to secondary water sources indicates that people had access to readily available sources of potable water, at least on a seasonal basis, and in some cases seasonal access to routes of waterborne trade and communication should the study area have been used or occupied in the past.

There are no identified secondary water sources within 300 metres of the study area.

3) Features Indicating Past Water Sources

Features indicating past water resources are described as including glacial lake shorelines indicated by the presence of raised sand or gravel beach ridges, relic river or stream channels indicated by clear dip or swale in the topography, shorelines of drained lakes or marshes, and cobble beaches. Close proximity (300 metres) to features indicating past water sources indicates that people had access to readily available sources of potable water, at least on a seasonal basis, and in some cases seasonal access to routes of waterborne trade and communication should the study area have been used or occupied in the past.

There are no identified features indicating past water sources within 300 metres of the study area.

4) Accessible or Inaccessible Shoreline

This form of landscape feature would include high bluffs, swamp or marsh fields by the edge of a lake, sandbars stretching into marsh, etc.

There are no shorelines within 300 metres of the study area.

5) Elevated Topography

Features of elevated topography that indicate archaeological potential include eskers, drumlins, large knolls, and plateaux.

There are no identified features of elevated topography within the study area.

6) Pockets of Well-drained Sandy Soil

Pockets of sandy soil are considered to be especially important near areas of heavy soil or rocky ground.

The soil throughout the study area is dark brown sandy loam, which is consistent with the wider area surrounding the property. Therefore, the presence of this soil has no impact on potential within the study area, as the wider area is not known for clay soils or exposed bedrock.

7) Distinctive Land Formations

These are landscape features that might have been special or spiritual places, such as waterfalls, rock outcrops, caverns, mounds, and promontories and their bases. There may be physical indicators of their use, such as burials, structures, offerings, rock paintings or carvings.

There are no identified distinctive land formations within the study area.

8) Resource Areas

Resource areas that indicate archaeological potential include food or medicinal plants (e.g., migratory routes, spawning areas, and prairie), scarce raw materials (e.g., quartz, copper, ochre or outcrops of chert) and resources of importance to early Euro-Canadian industry (e.g., logging, prospecting, and mining).

There are no identified resource areas within the study area.

9) Areas of Early Euro-Canadian Settlement

These include places of early military or pioneer settlement (e.g., pioneer homesteads, isolated cabins, and farmstead complexes), early wharf or dock complexes, pioneer churches and early cemeteries. There may be commemorative markers of their history, such as local, provincial, or federal monuments or heritage parks.

The study area is situated in close proximity to a historic community on the historic atlas map identified as Markdale.

10) Early Historical Transportation Routes

This includes evidence of trails, passes, roads, railways, portage routes.

The study area is situated within 100 metres of an early settlement road that appears on the Historic Atlas Map of 1881. This historic road corresponds to the road presently known as Toronto Street North, which is approximately 80 metres southwest of the study area.

11) Heritage Property

Property listed on a municipal register or designated under the *Ontario Heritage Act* or is a federal, provincial or municipal historic landmark or site.

There are no listed or designated heritage buildings or properties that form a part of the study area. There are no listed or designated heritage buildings or properties that are adjacent to the study area.

12) Documented Historical or Archaeological Sites

This includes property that local histories or informants have identified with possible archaeological sites, historical events, activities, or occupations. These are properties which have not necessarily been formally recognized or for which there is additional evidence identifying possible archaeological resources associated with historic properties in addition to the rationale for formal recognition.

There are no known heritage features, or known historic sites, or known archaeological sites within the study area in addition to those formally documented with the appropriate agencies or previously noted under a different criterion.

## **8.2 CHARACTERISTICS INDICATING REMOVAL OF ARCHAEOLOGICAL POTENTIAL**

Section 1.3.2 of the Standards and Guidelines for Consultant Archaeologists specifies the property characteristics which indicate no archaeological potential or for which archaeological potential has been removed (MTC 2011: 18-19). These characteristics are listed below together with considerations derived from the conduct of this study.

The introduction of Section 1.3.2 (MTC 2011: 18) notes that *“Archaeological potential can be determined not to be present for either the entire property or a part(s) of it when the area under consideration has been subject to extensive and deep land alterations that have severely damaged the integrity of any archaeological resources. This is commonly referred to as ‘disturbed’ or ‘disturbance’, and may include:”*

1) Quarrying

There is no evidence to suggest that quarrying operations were ever carried out within the study area.

2) Major Landscaping Involving Grading Below Topsoil

Unless there is evidence to suggest the presence of buried archaeological deposits, such deeply disturbed areas are considered to have lost their archaeological potential. Properties that do not have a long history of Euro-Canadian occupation can have archaeological potential removed through extensive landscape alterations that penetrate below the topsoil layer. This is because most archaeological sites originate at grade with relatively shallow associated excavations into the soil. First Nations sites and early historic sites are vulnerable to extensive damage and complete removal due to landscape modification activities. In urban contexts where a lengthy history of occupation has occurred, properties may have deeply buried archaeological deposits covered over and sealed through redevelopment activities that do not include the deep excavation of the entire property for subsequent uses. Buildings are often erected

directly over older foundations preserving archaeological deposits associated with the earlier occupation.

There is no evidence to suggest that major landscaping operations involving grading below topsoil were ever carried out within the study area. Surfaces paved with interlocking brick, concrete, asphalt, gravel and other surfaces meant to support heavy loads or to be long wearing hard surfaces in high traffic areas, must be prepared by the excavation and removal of topsoil, grading, and the addition of aggregate material to ensure appropriate engineering values for the supporting matrix and also to ensure that the installations shed water to avoid flooding or moisture damage. All hard surfaced areas are prepared in this fashion and therefore have no or low archaeological potential. Disturbed areas are excluded from Stage 2 Property Assessment due to no or low archaeological potential and often because they are also not viable to assess using conventional methodology.

3) *Building Footprints*

Typically, the construction of buildings involves the deep excavation of foundations, footings and cellars that often obliterate archaeological deposits situated close to the surface.

There are no buildings within the study area.

4) *Sewage and Infrastructure Development*

Installation of sewer lines and other below ground services associated with infrastructure development often involves deep excavation that can remove archaeological potential.

There is no evidence to suggest that substantial below ground services of any kind have resulted in significant impacts to any significant portion of the study area. Major utility lines are conduits that provide services such as water, natural gas, hydro, communications, sewage, and others. These major installations should not be confused with minor below ground service installations not considered to represent significant disturbances removing archaeological potential, such as services leading to individual structures which tend to be comparatively very shallow and vary narrow corridors. Areas containing substantial and deeply buried services or clusters of below ground utilities are considered areas of disturbance, and may be excluded from Stage 2 Property Assessment.

*“Activities such as agricultural cultivation, gardening, minor grading and landscaping do not necessarily affect archaeological potential.”*

(MTC 2011: 18)

*“Archaeological potential is not removed where there is documented potential for deeply buried intact archaeological resources beneath land alterations, or where it cannot be clearly demonstrated through background research and property inspection that there has*



*been complete and intensive disturbance of an area. Where complete disturbance cannot be demonstrated in Stage 1, it will be necessary to undertake Stage 2 assessment."*

(MTC 2011: 18)

Table 2 below summarizes the evaluation criteria of the Ministry of Tourism and Culture together with the results of the Stage 1 Background Study for the proposed undertaking. Based on the criteria, the property is deemed to have archaeological potential on the basis of proximity to the location of early historic settlement roads adjacent to the study area.

**2016 Stage 1 Archaeological Property Assessment of 105 Margaret Elizabeth Avenue Lot 98, Range 1 E of Toronto and Sydenham Road (Geographic Township of Artemesia), Town of Markdale, Municipality of Grey Highlands, Grey County (AMICK File #16097/MTCS File #P1024-0196-2016)**

**TABLE 2 EVALUATION OF ARCHAEOLOGICAL POTENTIAL**

FEATURE OF ARCHAEOLOGICAL POTENTIAL		YES	NO	N/A	COMMENT
1	Known archaeological sites within 300m		<b>N</b>		If Yes, potential determined
<b>PHYSICAL FEATURES</b>					
2	Is there water on or near the property?		<b>N</b>		If Yes, what kind of water?
2a	Primary water source within 300 m. (lakeshore, river, large creek, etc.)		<b>N</b>		If Yes, potential determined
2b	Secondary water source within 300 m. (stream, spring, marsh, swamp, etc.)		<b>N</b>		If Yes, potential determined
2c	Past water source within 300 m. (beach ridge, river bed, relic creek, etc.)		<b>N</b>		If Yes, potential determined
2d	Accessible or Inaccessible shoreline within 300 m. (high bluffs, marsh, swamp, sand bar, etc.)		<b>N</b>		If Yes, potential determined
3	Elevated topography (knolls, drumlins, eskers, plateaus, etc.)		<b>N</b>		If Yes, and Yes for any of 4-9, potential determined
4	Pockets of sandy soil in a clay or rocky area		<b>N</b>		If Yes and Yes for any of 3, 5-9, potential determined
5	Distinctive land formations (mounds, caverns, waterfalls, peninsulas, etc.)		<b>N</b>		If Yes and Yes for any of 3-4, 6-9, potential determined
<b>HISTORIC/PREHISTORIC USE FEATURES</b>					
6	Associated with food or scarce resource harvest areas (traditional fishing locations, agricultural/berry extraction areas, etc.)		<b>N</b>		If Yes, and Yes for any of 3-5, 7-9, potential determined.
7	Early Euro-Canadian settlement area within 300 m.		<b>N</b>		If Yes, and Yes for any of 3-6, 8-9, potential determined
8	Historic Transportation route within 100 m. (historic road, trail, portage, rail corridors, etc.)	<b>Y</b>			If Yes, and Yes for any 3-7 or 9, potential determined
9	Contains property designated and/or listed under the Ontario Heritage Act (municipal heritage committee, municipal register, etc.)		<b>N</b>		If Yes and, Yes to any of 3-8, potential determined
<b>APPLICATION-SPECIFIC INFORMATION</b>					
10	Local knowledge (local heritage organizations, First Nations, etc.)		<b>N</b>		If Yes, potential determined
11	Recent disturbance not including agricultural cultivation (post-1960-confirmed extensive and intensive including industrial sites, aggregate areas, etc.)		<b>N</b>		If Yes, no potential or low potential in affected part (s) of the study area.

If **YES** to any of 1, 2a-c, or 10 Archaeological Potential is **confirmed**

If **YES** to 2 or more of 3-9, Archaeological Potential is **confirmed**

If **YES** to 11 or No to 1-10 Low Archaeological Potential is **confirmed** for at least a portion of the study area.

### **8.3 STAGE 1 ANALYSIS AND CONCLUSIONS**

As a result of the Stage 1 portion of the study it was determined that the study area has archaeological potential on the basis of proximity to early historic settlement roads adjacent to the study area.

### **8.4 STAGE 2 ANALYSIS AND CONCLUSIONS**

Section 7.8.3 of the Standards and Guidelines for Consultant Archaeologists (MTC 2011: 138-139) outlines the requirements of the Analysis and Conclusions component of a Stage 2 Property Assessment.

1. *Summarize all finding from the Stage 2 survey, or state that no archaeological sites were identified.*
2. *For each archaeological site, provide the following analysis and conclusions:*
  - a. *A preliminary determination, to the degree possible, of the age and cultural affiliation of any archaeological sites identified.*
  - b. *A comparison against the criteria in 2 Stage 2: Property Assessment to determine whether further assessment is required*
  - c. *A preliminary determination regarding whether any archaeological sites identified in Stage 2 show evidence of a high level cultural heritage value or interest and will thus require Stage 4 mitigation.*

No archaeological sites or resources were found during the Stage 2 survey of the study area.

## **9.0 RECOMMENDATIONS**

### **9.1 STAGE 1 RECOMMENDATIONS**

Under Section 7.7.4 of the Standards and Guidelines for Consultant Archaeologists (MTC 2011: 133) the recommendations to be made as a result of a Stage 1 Background Study are described.

- 1) *Make recommendations regarding the potential for the property, as follows:*
  - a. *if some or all of the property has archaeological potential, identify areas recommended for further assessment (Stage 2) and areas not recommended for further assessment. Any exemptions from further assessment must be consistent with the archaeological fieldwork standards and guidelines.*
  - b. *if no part of the property has archaeological potential, recommend that the property does not require further archaeological assessment.*
- 2) *Recommend appropriate Stage 2 assessment strategies.*

The study area has been identified as an area of archaeological potential.

The present use of the study area is as a vacant former golf course. The study area is roughly 6.27 hectares in area. The study area includes within it mostly ploughable lands which are centrally located. Surrounding the ploughable area on the southeast, southwest, and northwest borders are areas of overgrown meadow. Mature growth trees are interspersed within the ploughable area near the northeast border, as well as a single tree in the southwest portion.

All portions of the property that could be ploughed were ploughed in advance of the assessment and were well weathered. The soil of the study area is a well draining sandy loam base with gravel admixture, which enhances the permeability of the soil. Disking was not necessary to achieve well weathered surface conditions and given the state of vegetation when ploughed, the farmer and the Partners of AMICK Consultants Limited agreed that continued mechanical breakdown of the furrows would have resulted in more adverse conditions to observe artifacts on the surface as the light textured soils would have washed through the ploughed under vegetation leaving root mass and vegetation at the surface. In the professional judgment of the licensed field director, pedestrian transects were intensified to an interval of 2.5m between individual transects to increase the intensity of observation given the rough furrows of the ploughing and the presence of tufting of vegetation in some portions of the field area. There is no requirement to conduct intensified survey under the described field conditions and therefore the survey was completed at a level of intensity above and beyond the requirements articulated in the Standards and Guidelines for Consultant Archaeologists (MTC 2011). Surface visibility of the ploughed surface was well beyond the minimum 80%. Roughly 90% of the field surface was unobstructed and visible.

Any areas that could not be ploughed were subject to assessment using the test pit methodology. Test pits were dug at a fixed interval of 5 metres across the surface area. Test pits measured a minimum of 30 centimeters in diameter and were dug at least 5 centimeters into the subsoil beneath the topsoil layer. All excavated earth was screened through 6 mm wire mesh to ensure that any artifacts contained within the soil matrix are recovered. All test pits were back filled and restored as much as was reasonably possible to the level of the surrounding grade.

## **9.2 STAGE 2 RECOMMENDATIONS**

Under Section 7.8.4 of the Standards and Guidelines for Consultant Archaeologists (MTC 2011: 139) the recommendations to be made as a result of a Stage 2 Property Assessment are described.

- 1) For each archaeological site, provide a statement of the following:
  - a. Borden number or other identifying number*
  - b. Whether or not it is of further cultural heritage value or interest*
  - c. Where it is of further cultural heritage value or interest, appropriate Stage 3 assessment strategies**

***2016 Stage 1 Archaeological Property Assessment of 105 Margaret Elizabeth Avenue Lot 98, Range 1 E of Toronto and Sydenham Road (Geographic Township of Artemesia), Town of Markdale, Municipality of Grey Highlands, Grey County (AMICK File #16097/MTCS File #P1024-0196-2016)***

- 2) *Make recommendations only regarding archaeological matters. Recommendations regarding built heritage or cultural heritage landscapes should not be included.*
- 3) *If the Stage 2 survey did not identify any archaeological sites requiring further assessment or mitigation of impacts, recommend that no further archaeological assessment of the property be required.*

As a result of the property Assessment of the study area, no archaeological resources were encountered. Consequently, the following recommendations are made:

- *No further archaeological assessment of the study area is warranted;*
- *The Provincial interest in archaeological resources with respect to the proposed undertaking has been addressed;*
- *The proposed undertaking is clear of any archaeological concern.*

## **10.0 ADVICE ON COMPLIANCE WITH LEGISLATION**

While not part of the archaeological record, this report must include the following standard advisory statements for the benefit of the proponent and the approval authority in the land use planning and development process:

- a. This report is submitted to the Minister of Tourism and Culture as a condition of licensing in accordance with Part VI of the Ontario Heritage Act, R.S.O. 1990, c. 0.18. The report is reviewed to ensure that it complies with the standards and guidelines issued by the Minister, and that the archaeological fieldwork and report recommendations ensure the conservation, protection and preservation of the cultural heritage of Ontario. When all matters relating to archaeological sites within the project area of a development proposal have been addressed to the satisfaction of the Ministry of Tourism and Culture, a letter will be issued by the ministry stating that there are no further concerns with regard to alterations to archaeological sites by the proposed development.*
- b. It is an offence under Sections 48 and 69 of the Ontario Heritage Act for any party other than a licensed archaeologist to make any alteration to a known archaeological site or to remove any artifact or other physical evidence of past human use or activity from the site, until such time as a licensed archaeologist has completed archaeological fieldwork on the site, submitted a report to the Minister stating that the site has no further cultural heritage value or interest, and the report has been filed in the Ontario Public Register of Archaeological Reports referred to in Section 65.1 of the Ontario Heritage Act.*
- c. Should previously undocumented archaeological resources be discovered, they may be a new archaeological site and therefore subject to Section 48 (1) of the Ontario Heritage Act. The proponent or person discovering the archaeological resources must cease alteration of the site immediately and engage a licensed archaeologist to carry out archaeological fieldwork, in compliance with sec. 48 (1) of the Ontario Heritage Act.*
- d. The Cemeteries Act, R.S.O. 1990, c. C.4 and the Funeral, Burial and Cremation Services Act, 2002, S.O. 2002, c.33 (when proclaimed in force) require that any person discovering human remains must notify the police or coroner and the Registrar of Cemeteries at the Ministry of Consumer Services.*
- e. Archaeological sites recommended for further archaeological fieldwork or protection remain subject to Section 48 (1) of the Ontario Heritage Act and may not be altered, or have artifacts removed from them, except by a person holding an archaeological licence.*



## **11.0 BIBLIOGRAPHY AND SOURCES**

- Chapman, L.J. & D.F. Putnam. (1984). *The Physiography of Southern Ontario (Third Edition)*. Ontario Geological Survey, Special Report #2. Ontario Ministry of Natural Resources, Toronto.
- Belden, H., & Co. (1881). "Grey County Supplement". *Illustrated Atlas of the Dominion of Canada*. H. Belden & Co., Toronto.
- Goel, Tarun (2013). Road Construction: History and Procedure. Bright Hub Engineering. Retrieved 24 May 2015 from URL: <http://www.brighthubengineering.com/structural-engineering/59665-road-construction-history-and-procedure/>
- Google Earth (Version 6.0.3.2197) [Software]. (2009). Available from <http://www.google.com/earth/index.html>.
- Google Maps. (2012). Available from: [http://maps.google.ca/?utm\\_campaign=en&utm\\_source=en-ha-na-ca-bk-gm&utm\\_medium=ha&utm\\_term=google%20maps](http://maps.google.ca/?utm_campaign=en&utm_source=en-ha-na-ca-bk-gm&utm_medium=ha&utm_term=google%20maps).
- Grey County (2010). *History of Grey County*. Retrieved 22 September, 2010 from URL: <http://www.grey.ca/government-administration/about-grey/history-of-grey-county/>. Owen Sound, Ontario.
- (2016). [Map of Grey Highlands]. Grey County.
- Ontario Heritage Act, RSO 1990a, Government of Ontario. (Queen's Printer, Toronto).
- Ontario Heritage Amendment Act, SO 2005, Government of Ontario. (Queen's Printer, Toronto).
- Ontario Ministry of Citizenship, Culture and Recreation (OMCzCR). (1993). *Archaeological Assessment Technical Guidelines, Stages 1-3 and Reporting Format*. (Queen's Printer for Ontario 1993)
- Ontario Ministry of Culture (MCL). (2005). *Conserving a Future for Our Past: Archaeology, Land Use Planning & Development in Ontario (An Educational Primer and Comprehensive Guide for Non-Specialists)*. (Heritage & Libraries Branch, Heritage Operations Unit: Toronto).
- Ontario Ministry of Culture and Communications (MCC) & Ministry of Environment (MOE). (1992). *Guideline for Preparing the Cultural Heritage Resource Component of Environmental Assessments*. (Cultural Programs Branch, Archaeology and Heritage Planning: Toronto).
- Ontario Ministry of Tourism and Culture (MTC). (2011). *Standards and Guidelines for Consultant Archaeologist*. (Programs and Services Branch: Culture Programs Unit, Toronto).
- Ontario Planning Act, RSO 1990b, Government of Ontario. (Queen's Printer, Toronto).
- Provincial Policy Statement (2014). Government of Ontario. (Queen's Printer, Toronto).

***2016 Stage 1 Archaeological Property Assessment of 105 Margaret Elizabeth Avenue Lot 98, Range 1 E of Toronto and Sydenham Road (Geographic Township of Artemesia), Town of Markdale, Municipality of Grey Highlands, Grey County (AMICK File #16097/MTCS File #P1024-0196-2016)***

Wikipedia.org. (2016). *Markdale, Ontario*. Retrieved 22 November, 2016 from URL:  
[https://en.wikipedia.org/wiki/Markdale,\\_Ontario](https://en.wikipedia.org/wiki/Markdale,_Ontario).

Wright, J.V. (1972). *Ontario Prehistory: an Eleven-thousand-year Archaeological Outline*.  
Archaeological Survey of Canada. National Museum of Man, Ottawa.

## 12.0 MAPS



**FIGURE 1 LOCATION OF THE STUDY AREA (GOOGLE MAPS 2012)**

---

*Page 36*



**2016 Stage 1 Archaeological Property Assessment of 105 Margaret Elizabeth Avenue Lot 98, Range 1 E of Toronto and Sydenham Road (Geographic Township of Artemesia), Town of Markdale, Municipality of Grey Highlands, Grey County (AMICK File #16097/MTCS File #P1024-0196-2016)**




**FIGURE 3 PLAN OF SURVEY (GREY COUNTY, 2016)**



**FIGURE 4      AERIAL PHOTO OF THE STUDY AREA (GOOGLE EARTH 2011)**



**2016 Stage 1 Archaeological Property Assessment of 105 Margaret Elizabeth Avenue Lot 98, Range 1 E of Toronto and Sydenham Road (Geographic Township of Artemesia), Town of Markdale, Municipality of Grey Highlands, Grey County (AMICK File #16097/MTCS File #P1024-0196-2016)**



**FIGURE 5 DETAILED PLAN OF THE STUDY AREA**

## 13.0 IMAGES

	
<b>PLATE 1 TEST PIT SURVEY CONDITIONS</b>	<b>PLATE 2 TEST PIT SURVEY CONDITIONS</b>
	
<b>PLATE 3 TEST PIT SURVEY CONDITIONS</b>	<b>PLATE 4 SNOWY TEST PIT SURVEY CONDITIONS</b>
	
<b>PLATE 5 NOTE: SOIL NOT FROZEN, EASILY SCREENED</b>	<b>PLATE 6 TEST PIT SURVEY CONDITIONS</b>



***2016 Stage 1 Archaeological Property Assessment of 105 Margaret Elizabeth Avenue Lot 98, Range 1 E of Toronto and Sydenham Road (Geographic Township of Artemesia), Town of Markdale, Municipality of Grey Highlands, Grey County (AMICK File #16097/MTCS File #P1024-0196-2016)***



**PLATE 7 TEST PIT IN PROGRESS, EASILY EXCAVATED**



**PLATE 8 TEST PIT IN PROGRESS, EASILY EXCAVATED**



**PLATE 9 PEDESTRIAN SURVEY FIELD CONDITIONS**



**PLATE 10 PEDESTRIAN SURVEY GROUND CONDITIONS**



**PLATE 11 PEDESTRIAN SURVEY FIELD CONDITIONS**



**PLATE 12 PEDESTRIAN SURVEY FIELD CONDITIONS**

***2016 Stage 1 Archaeological Property Assessment of 105 Margaret Elizabeth Avenue Lot 98, Range 1 E of Toronto and Sydenham Road (Geographic Township of Artemesia), Town of Markdale, Municipality of Grey Highlands, Grey County (AMICK File #16097/MTCS File #P1024-0196-2016)***



**PLATE 13 PEDESTRIAN SURVEY GROUND CONDITIONS**



**PLATE 14 CREW @ WORK**



**PLATE 15 MONITORING WELL**